EXIT CONTROL LOCKS

ACCESSORIES for ECL-230X SERIES

Detex makes a number of accessories available that allow the Exit Control Locks to be used in a wide range of applications. Below is a listing and description of these items.

	<u>Item Number</u>	Description and Use
	RC (105771-X)	Rod Covers Protects rods in high use, high abuse applications. Used with ECL-230X-TB, TD & TDB.
	BG (103562)	Bottom Bolt Guard Protects bottom bolt in high use, high abuse applications. Used with ECL-230X-TB & TDB.
BG RC	RC-BG (105771-X)	Rod Covers & Bottom Bolt Guard Protects rods & bottom bolt in high use, high abuse applications. Used with ECL-230X-TB & TDB.
	DX1	One hinge side lock One hinge side locking point, keeps door secure even if hinge knuckles are removed. Used when higher level of security is required.
	DX2	Two hinge side locks Two hinge side locking points, keeps door secure even if hinge knuckles are removed. Used when higher level of security is required.
DX1 shown	DX3	Three singe side locks Three hinge side locking points, keeps door secure even if hinge knuckles are removed. Used when higher level of security is required.
	IP	Inside Pull Provides grip handle on inside of door, assists in pulling door closed and locking door



EXIT CONTROL LOCKS CONT'D

ACCESSORIES for ECL-230X SERIES


Item Number	Description and Use
DDSK	Double Door Strike Bracket Kit Mounts on inactive leaf. Typically used in conjunction with flush bolts or similar products in double door applications.
 DDH-2250	Double Door Holder Mounts on inactive leaf. Typically used on pairs of doors. Locks inactive leaf, when active leaf closes, operates similar to automatic flush bolts.
105059-X	Cover Lock Kit Provides additional protection for battery protection. Requires main operational key and cover lock key to perform maintenance, change battery.
RK	ECL-230 Retrofit Plate Kit Useful when removing an ECL-230D and installing an ECL-230X
102638	Rim Cylinder Plate 03 function cylinder trim plate used on gates



EXIT CONTROL LOCKS CONT'D

ACCESSORIES for ECL-230X SERIES

Item Number Description and Use Sex Nuts SN₁ Recommended for high use, high (101616-X)abuse applications SN1 **Through Bolt Mounting Plate Kit** TMP1 Recommended for high use, high abuse applications. Kit is standard with two plates and four 1/4-20 sex bolts. TMP1





EXIT CONTROL LOCKS CONT'D

ACCESSORIES for ECL-230X SERIES

Description and Use





Trim Plate (01T)

Does not include outside key control. Typically used to cover exterior holes on pull side of door. Sex nuts included.

Trim Pull Plate (01PP)


Does not include outside key control. Typically used to pull door open while door is unlocked. Sex nuts included.



Requires rim cylinder, provides outside key control. Pull provided by others, supplied separately. Sex nuts included.

Trim Pull Plate (03PP)

Requires rim cylinder, provides outside key control. Typically used to pull door open while door is unlocked. Sex nuts included.





Detex Corporation 302 Detex Drive New Braunfels, Texas 78130-3045 USA PH. (830) 629-2900 (800) 729-3839 FAX (800) 653-3839 http://www.detex.com **USA Sales:** marketing@detex.com International Sales:

export@detex.com

